



News TypoScript Template


There are 2 + News (tt_news) Typoscript Templates. The root page Page ID 1 (pid=1) + News Typoscript Template is only used to define a path to a different tt_news HTML template on the homepage (tt_news_v2_home.html) to disable Ratings. Page ID 1 + News Typoscript template is linked to Page ID 60 (id=60) + News Typoscript Template. Page ID 60 News Typoscript Template is referred to as a **basis template**.



You will need to edit the basis + News Typoscript template on Page ID 60 to alter language values, configure your RSS feeds and more. Please note that TypoScript values may change with future releases of Zen Wireframe.



Use **Web>List** view to quickly locate and edit TypoScript templates. Use Web>Template to access the Constant Editor and other [template tools](#).



TypoScript Constants code:

```
# Display RSS feed
#####
plugin.tt_news {
displayXML {
xmlTitle = Your Organization
xmlLink = http://www.my-domain.com
xmlDesc = Our Latest News
xmlIcon = fileadmin/templates/zwire/images/icons/feed.jpg
}
}
```

TypoScript Setup code:

```
# News Calendar
#####
plugin.tx_newscalendar_pi1.file {
cssCalendar = fileadmin/templates/zwire/css/ext/news-calendar.css
cssContextMenu = fileadmin/templates/zwire/css/ext/news-calendar-contextmenu.css
listView.listViewTemplate = fileadmin/templates/zwire/ext/news_calendar.html
}
```

```
# See typo3conf/ext/tt_news/static/ts_new/setup.txt for more
#####
plugin.tt_news {
templateFile = fileadmin/templates/zwire/ext/tt_news_v2_template.html
pid_list = 63
singlePid = 64
backPid = 1
}
```

```
# Strip out paragraph tags
#####
#general_stdWrap >
#general_stdWrap.parseFunc.nonTypoTagStdWrap.encapsLines.nonWrappedTag =

displaySingle {
author_stdWrap.wrap = <p class="news-single-author">|</p>
date_stdWrap.strptime = %A, %B %d, %Y
image {
file.maxW = 150
file.maxH = 150
}
}
```

```
displayList {
date_stdWrap.strptime = %B %d, %Y
title_stdWrap.wrap = |
subheader_stdWrap {
#wrap = <p>|</p>
crop = 250 | ... | 1
append = TEXT
append.data = register:newsMoreLink
append.wrap = |
}
```

```
image {
```

```
file.maxW = 180
file.maxH = 180
imageLinkWrap = 1
stdWrap.spaceAfter = 5
}
}
}
```

```
dontUseBackPid = 1
catTextMode = 3
catImageMaxWidth = 150
catImageMaxHeight =
newsAmenuUserFunc =
useHRDates = 1
useHRDatesSingle = 1
useSubCategories = 1
```

```
# Remove CSS from typo3temp/stylessheet
#####
_CSS_DEFAULT_STYLE =
```

```
# Language transformations
#####
_LOCAL_LANG.default {
    more = Continue
    textCat = Posted in
    backToList = Back to News
    archiveHeader = Archives
    catmenuHeader = &nbsp;
    latestHeader = Most Recent News
}
```

```
# Pagebrowser settings
#####
usePiBasePagebrowser = 1
pageBrowser {
    maxPages = 7
    showResultCount = 1
    showPBrowserText = 0
    dontLinkActivePage = 1
    tableParams = cellpadding="2" align="center"
```

```
# settings for the extended pageBrowser from TYPO3 3.8.0
showFirstLast = 0
pagefloat = center
showRange = 0
disabledLinkWrap = <span style="color:#bbb;"></span>
inactiveLinkWrap = |
activeLinkWrap = <strong></strong>
LinksWrap =|
showResultsWrap = <p></p>
showResultsNumbersWrap = |
browseBoxWrap = |
browseLinksWrap = |
}
```

```
# settings for category menu (CATMENU)
#####
```

```

catSelectorTargetPid = 60

displayCatMenu {

    catmenuHeader_stdWrap.wrap = <div class="news-catmenu-header">|</div>

    # catmenu rendermode:
    # nestedWraps = make a catmenu with nested wraps
    # tree = use TYPO3 class treeview to build the catmenu
    mode = nestedWraps
}

# Archive menu settings
#####
archiveTypoLink.parameter = 60

# Settings for Related News
#####
related_stdWrap.wrap = <dl class="news-single-related">|</dl>
relatedHeader_stdWrap.wrap = <dt>|</dt>

# icon for related news
tmp.5 = IMAGE
tmp.5 {
file = fileadmin/templates/zwire/images/icons/related-news.gif
file.width = 20
file.height = 20
wrap = <div style="position:relative;float:left;top:-4px;margin-right:5px;"> | </div>
}

# end-wrap for the getRelated objects
tmp.20 = TEXT
tmp.20 {
field = datetime
strftime = %B %d, %Y
wrap = &nbsp;&nbsp;&nbsp;Posted:&nbsp;&nbsp;&nbsp; |
}

# Build the list of related news:
getRelatedCObject = COA
getRelatedCObject {
# groupBy =
orderBy = datetime desc

10=CASE
10.key.field=type
# settings for 'normal' related news
10.default=COA

10.default {
wrap = <dd> | </dd>
5 < plugin.tt_news.tmp.5
10 = TEXT
10.field = title
10.typoLink.parameter = 64
10.typoLink.additionalParams.data=register:newsAddParams
20 < plugin.tt_news.tmp.20

```

```

}

# settings for related news, that point to internal pages
10.1=COA
10.1 {
wrap = <dd> | </dd>
5 < plugin.tt_news.tmp.5
5.file=EXT:tt_news/res/tt_news_article.gif
10 = TEXT
10.field = title
10.typolink.parameter.field = page
20 < plugin.tt_news.tmp.20
}

# settings for related news, that point to external URLs
10.2=COA
10.2 {
wrap = <dd> | </dd>
5 < plugin.tt_news.tmp.5
5.file=EXT:tt_news/res/tt_news_exturl.gif
10 = TEXT
10.field = title
10.typolink.parameter.field = ext_url
20 < plugin.tt_news.tmp.20
}
}

# Generate RSS feed
#####
xmlnews = PAGE
xmlnews {
typeNum = 100
10 >
10 < plugin.tt_news
10.pid_list >
10.pid_list = 63
10.singlePid = 64
10.defaultCode = XML
config {
disableAllHeaderCode = 1
additionalHeaders = Content-type:text/xml
no_cache = 1
xhtml_cleaning = 0
}
}

#Make rss-links readable
xmlnews.10 {
useHRDatesSingle = 1
dontUseBackPid = 1
useHRDates = 1
useHRDatesSingleWithoutDay = 1
}

```

Default TypoScript templates and values used by this extension are located here.

- typo3conf/ext/tt_news/static/ts_new/constants.txt
- typo3conf/ext/tt_news/static/ts_new/setup.txt

Default HTML and CSS files for this extension are located here.

- typo3conf/ext/tt_news/pi/tt_news_v2_template.html
- typo3conf/ext/tt_news/res/tt_news_v2_styles.css

Default XML file for additional language transformations (`_LOCAL_LANG.default`).

- typo3conf/ext/tt_news/pi/locallang.xml

Zen Wireframe v2 Business Edition

Original Author: Gregory D. Remington

Email: support(at)mediatech.net

Website: <http://www.mediatech.net>

License: <http://creativecommons.org/licenses/by-sa/3.0/>